



Building Department

METAL BUILDING PERMITTING PROCEDURES

Typical metal building procedures are to provide complete plans and specifications with application to construct any metal building. This includes the plans and specifications by the metal building manufacturer. In some cases, the contractor prefers not to submit the metal building manufacturer's plans until later in the process because of the costs of obtaining these sealed plans from the manufacturer. In those cases, we will accept the architect's plans for the metal building with structural locations of the steel supports and columns. All metal building will need to be inspected by a structural engineer or by the architect or engineer of record. *A written report of this inspection must be signed and shall be submitted to the DeBary Building Official with the structural plans and any shop drawings, at the time of framing inspection, prior to the concealing of any of the structural steel stipulating the following:*

1. The structural steel erection is in substantial compliance with the approved structural plan and the applicable AISI Code or SJI specifications (see Florida Building Code Sections 2201 thru 2212 SBCCI FBC 2004 ed).
2. Field welding is in conformance with the approved plans, AWS Code and AISI specifications. Full penetration welds shall be inspected and radiographically or ultrasonically tested (see FBC 2204 2004 ed).
3. The assembly and inspection of connections using high strength bolts shall conform to approved plans and ASTM 325 or A 490.
4. The report shall include:
Job Name
Street Address
Permit Number
Engineer's Report

All independent inspections shall be at the permittee's or owner's expense.

After completing the on-site inspections, the documentation and engineer's report will be filed in the Building Department with the approved plans for recordkeeping.
